




NO. 00 DANMARK




VERSION 2





Cutting Fabric:

Each pattern piece is marked with a capital letter. On the cutting layout plan, you'll find the same capital letters so that you can easily see which pattern pieces to use for the view you've chosen.





Sewing instructions

NB! The pattern has 1 cm seam allowances included, unless otherwise noted.

1. Begin by cutting all your pieces according to the cutting layout plan.
2. Press interfacing to all facing pieces.

NB! For the best finish, sew before overlocking.

SEW THE FACINGS

3. Sew the facing shoulder seams, right sides together.
4. Fold the sleeve flounce (pattern piece G) on the long side. Sew the ends together, right sides together. Turn and press.

● RIGHT SIDE


○ WRONG SIDE

● INTERFACING



SEW THE BLOUSE

5. Sew the darts on the back piece according to the markings on the pattern piece. Press them towards centre-back.
6. Sew the darts on the front piece according to the markings on the pattern piece. Press the waist darts towards centre-back and the bust darts upwards.





NB! Overlock or zigzag the seam allowances of each piece separately.



7. Overlock halsbelægningen samt ærmebelægningerne på den store runding.

8. Overlock sidesømme og skuldresømme på både for- og bagstykke.



9. Sew the front piece to the back pieces in both shoulder seams and side seams, right sides together.


10. Press all seams open.






JOIN ALL PIECES

11. Place the neckline facing on the neckline, right sides together, and sew along the neckline.
12. Understitch all facings to keep them in place. Clip notches to the seam allowances.
13. Turn and press the facing in place. Stitch the facing to the seam allowances.



14. Gather the sleeve flounce to fit the armscye.
15. Sew the sleeve flounce to the armscye right sides together. The flounce is open under the arm.
16. Finish the seam allowances of the armscye.



17. Finish the seam allowances of the hem.
 18. Hem, using a 2 cm hem. Hem, using a 2 cm hem. If you like you can make an invisible hem by hand or a lace hem.
-