


NO. 8 SVANEKE



VERSION 3















Cutting Fabric:

Each pattern piece is marked with a capital letter. On the cutting layout plan, you'll find the same capital letters so that you can easily see which pattern pieces to use for the view you've chosen.





NB! ALSO CUT INTERFACING WITH PIECE J.




Sewing instructions

NB! The pattern has 1 cm seam allowances included, unless otherwise noted.

NOTE! You can finish all side, shoulder and sleeve seams with a french seam, if you like a better finish on the inside.

- 1. Cut all your pieces in fabric and interfacing.
- 2. Press interfacing to the waistband.
- 3. Finish the seam allowances of the skirt pieces as well as one of the sides of the waistband using zigzag or overlocker.
- 4. Sew the skirt pieces together, right sides together, so you have one skirt piece. Press the seam allowances open.



- 5. Gather the waist of the skirt so that it fits the waistband
- 6. Sew the waistband to the skirt, right sides together.





- 7. Sew the zipper to the skirt. The zipper must end at the notch in the waistband.
- 8. Fold the waistband around the zipper, so that the fabric is right sides together and stitch the fabric to the zipper.



- 9. Turn the fabric so that the zipper is placed in between the folded waistband.
- 10. Stitch in the ditch from the right side to close the waistband.



11. Hem the skirt